

Laboratory Test Updates

(effective on July 14, 2025)

	Test Code	Test Name	Name Change	Methodology	Performed/Reported Schedule	Specimen Requirements	Reference Interval	New Tests	Additional Information	Internalized Tests	Reactivated Tests	Inactive
1	C8208501	Aldolase								X		
2	C8378912	Iodine/Creatinine Ratio, Urine (random)			X							
3	C8378913	Iodine, Urine (24 hours)			X							
4	C8378911	Iodine, Serum			X							
5	C8557615	Tick Borne Encephalitis, IgG						X				
6	C8557616	Tick Borne Encephalitis, IgM						X				
7	C8208802	Aldosterone, Urine (24 hours)			X	X						

1	Aldolase Test Code : 8208501 - Laboratory Services									
	Methodology : PHOTOMETRY - Performed : Fri 08:00 - Reported : Sat 18:00									
	<table border="1"> <thead> <tr> <th>Specimen Type</th><th>Collection Container/Tube</th><th>Specimen Volume</th><th>Transport</th></tr> </thead> <tbody> <tr> <td>Serum</td><td>Separator Tube</td><td>1mL</td><td>2-8°C</td></tr> </tbody> </table>	Specimen Type	Collection Container/Tube	Specimen Volume	Transport	Serum	Separator Tube	1mL	2-8°C	
Specimen Type	Collection Container/Tube	Specimen Volume	Transport							
Serum	Separator Tube	1mL	2-8°C							

2	Iodine/Creatinine Ratio, Urine (random) Test Code : 8378912 - Laboratory Services									
	Methodology : ICP-MS - Performed : Mon 08:00 Thu 08:00 - Reported : Fri 18:00 Tue 18:00									
	<table border="1"> <thead> <tr> <th>Specimen Type</th><th>Collection Container/Tube</th><th>Specimen Volume</th><th>Transport</th></tr> </thead> <tbody> <tr> <td>Urine, Random</td><td>Plastic Collection Cup</td><td>5mL</td><td>2-8°C</td></tr> </tbody> </table>	Specimen Type	Collection Container/Tube	Specimen Volume	Transport	Urine, Random	Plastic Collection Cup	5mL	2-8°C	
Specimen Type	Collection Container/Tube	Specimen Volume	Transport							
Urine, Random	Plastic Collection Cup	5mL	2-8°C							

3	Iodine, Urine (24 hours) Test Code : 8378913 - Laboratory Services									
	Methodology : ICP-MS - Performed : Mon 08:00 Thu 08:00 - Reported : Fri 18:00 Tue 18:00									
	<table border="1"> <thead> <tr> <th>Specimen Type</th><th>Collection Container/Tube</th><th>Specimen Volume</th><th>Transport</th></tr> </thead> <tbody> <tr> <td>24-hour Urine</td><td>Plastic 24-Hour Urine Container</td><td>5mL</td><td>2-8°C</td></tr> </tbody> </table>	Specimen Type	Collection Container/Tube	Specimen Volume	Transport	24-hour Urine	Plastic 24-Hour Urine Container	5mL	2-8°C	
Specimen Type	Collection Container/Tube	Specimen Volume	Transport							
24-hour Urine	Plastic 24-Hour Urine Container	5mL	2-8°C							

4	Iodine, Serum Test Code : 8378911 - Laboratory Services									
	Methodology : ICP-MS - Performed : Mon 08:00 Thu 08:00 - Reported : Fri 18:00 Tue 18:00									
	<table border="1"> <thead> <tr> <th>Specimen Type</th><th>Collection Container/Tube</th><th>Specimen Volume</th><th>Transport</th></tr> </thead> <tbody> <tr> <td>Serum</td><td>Separator Tube</td><td>1mL</td><td>2-8°C</td></tr> </tbody> </table>	Specimen Type	Collection Container/Tube	Specimen Volume	Transport	Serum	Separator Tube	1mL	2-8°C	
Specimen Type	Collection Container/Tube	Specimen Volume	Transport							
Serum	Separator Tube	1mL	2-8°C							

5	Tick Borne Encephalitis, IgG Test Code : 8557615 - Laboratory Services									
	Methodology : EIA - Performed : Thu 12:00 - Reported : 14 days									
	<table border="1"> <thead> <tr> <th>Specimen Type</th><th>Collection Container/Tube</th><th>Specimen Volume</th><th>Transport</th></tr> </thead> <tbody> <tr> <td>Serum</td><td>Separator Tube</td><td>0,5mL</td><td>2-8°C</td></tr> </tbody> </table>	Specimen Type	Collection Container/Tube	Specimen Volume	Transport	Serum	Separator Tube	0,5mL	2-8°C	
Specimen Type	Collection Container/Tube	Specimen Volume	Transport							
Serum	Separator Tube	0,5mL	2-8°C							

6	Tick Borne Encephalitis, IgM Test Code : 8557616 - Laboratory Services									
	Methodology : EIA - Performed : Thu 12:00 - Reported : 14 days									
	<table> <tr> <th>Specimen Type</th><th>Collection Container/Tube</th><th>Specimen Volume</th><th>Transport</th></tr> <tr> <td>Serum</td><td>Separator Tube</td><td>0,5mL</td><td>2-8°C</td></tr> </table>	Specimen Type	Collection Container/Tube	Specimen Volume	Transport	Serum	Separator Tube	0,5mL	2-8°C	
Specimen Type	Collection Container/Tube	Specimen Volume	Transport							
Serum	Separator Tube	0,5mL	2-8°C							

7	Aldosterone, Urine (24 hours) Test Code : 8208802 - Laboratory Services									
	Method : CLIA - Performed : Tue 08:00 - Reported : 2 week									
	<table> <tr> <th>Sample Name</th><th>Collection Container/Tube</th><th>Specimen Volume</th><th>Transfer</th></tr> <tr> <td>24 Saatlik İdrar, (Borik asit ile)</td><td>Plastic 24-Hour Urine Container</td><td>5mL</td><td><0°C</td></tr> </table>	Sample Name	Collection Container/Tube	Specimen Volume	Transfer	24 Saatlik İdrar, (Borik asit ile)	Plastic 24-Hour Urine Container	5mL	<0°C	
Sample Name	Collection Container/Tube	Specimen Volume	Transfer							
24 Saatlik İdrar, (Borik asit ile)	Plastic 24-Hour Urine Container	5mL	<0°C							

