

Laboratory Test Updates

(effective on January 16, 2022)

	Test Code	Test Name	Name Change	Methodology	Performed/Reported Schedule	Specimen Requirements	Reference Interval	Update In Additional	New Tests	Internalized Tests	Reactivated Tests	Inactive
1	C8301842	Silver, Urine (Random)	X									
2	C8301843	Beryllium, Urine (Random)	X									
3	C8779804	Herpes Simplex Virus (HSV) DNA Type 1&2 (PCR)				X						
4	C8732702	Transplantation Viral Panel PCR, Qualitative					X					
5	C8354005	Iron (Fe), Urine (Random)						X				
6	C8259501	Cryoglobulin				X						
7	C8258501	Cryofibrinogen				X						
8	C8742505	Placental Growth Factor (PIGF)						X				

1	Silver, Urine (Random)			
	Test Code : 8301842 - Laboratory Services			
	Methodology : ICP-MS - Performed : Thu 08:00 - Reported : 10 days			
	Specimen Type	Container	Volume	Transport
Urine, Random	Plastic Collection Cup	5mL	2-8°C	

2	Beryllium, Urine (Random)			
	Test Code : 8301843 - Laboratory Services			
	Methodology : ICP-MS - Performed : 08:00 - Reported : 10 days			
	Specimen Type	Container	Volume	Transport
Urine, Random	Plastic Collection Cup	5mL	2-8°C	


3	Herpes Simplex Virus (HSV) DNA Type 1&2 (PCR)			
	Test Code : 8779804 - Laboratory Services			
	Methodology : PCR - Performed : Mon-Fri - Reported : 1 week			
	Specimen Type	Container	Volume	Transport
	Serum	Separator Tube	2mL	2-8°C
	Plasma (EDTA)	Lavender (EDTA)	2mL	2-8°C
	Vesicular Fluid	Biologic Fluid Tube	2mL	2-8°C
	Conjunctival Swab	Biologic Fluid Tube		2-8°C
	Aphth Material	Plastic Collection Cup		2-8°C
	Cervical Swab	Nucliswab		2-8°C
Tissue Sample	Plastic Collection Cup		2-8°C	
Ophthalmic Discharge	Biologic Fluid Tube	1mL	2-8°C	

4

Transplantation Viral Panel PCR, Qualitative
 Test Code : **8732702** - Laboratory Services

Methodology : **REAL-TIME PCR** - Performed : **Mon 08:00 Wed 08:00 Fri 08:00** - Reported : **Tue 18:00 Thu 18:00 Sat 18:00**

Specimen Type	Container	Volume	Transport
Plasma (EDTA)	Lavender (EDTA)	2mL	2-8°C
CSF	Sterile CSF Tube	2mL	2-8°C
Urine	Sterile Tube	2mL	2-8°C

Additional Information 


This panel contains; Adenovirus, Cytomegalovirus (CMV), Epstein-Barr Virus (EBV), Parvovirus B19, Varicella Zoster Virus (VZV), Herpes Simplex Virus 1 (HSV 1), Herpes Simplex Virus 2 (HSV 2), Human Herpes Virus 6 (HHV6), Human Herpes Virus 7 (HHV7), Enterovirus and Parechovirus.

5


Iron (Fe), Urine (Random)
 Test Code : **8354005** - Laboratory Services


Methodology : **ICP-MS** - Performed : **Thu 08:00** - Reported : **10 days**

Specimen Type	Container	Volume	Transport
Urine, Random	Plastic Collection Cup	5mL	2-8°C

Additional Information 

Urine, Random
 There is no need for light protection

6	Cryoglobulin Test Code : 8259501 - Laboratory Services											
	Methodology : MANUAL - Performed : Mon-Fri - Reported : 1 weeks											
	<table border="1"> <thead> <tr> <th>Specimen Type</th> <th>Container</th> <th>Volume</th> <th>Transport</th> </tr> </thead> <tbody> <tr> <td>Special sample type, Apply to Laboratory</td> <td>Plain Tube</td> <td>8mL</td> <td>37°C</td> </tr> </tbody> </table>	Specimen Type	Container	Volume	Transport	Special sample type, Apply to Laboratory	Plain Tube	8mL	37°C			
	Specimen Type	Container	Volume	Transport								
Special sample type, Apply to Laboratory	Plain Tube	8mL	37°C									
Additional Information 												
<p>Special sample type, Apply to Laboratory</p> <p>The blood specimen must be collected in two 10 mL warm tubes (37°C) in the absence of anticoagulants. The sample should be immediately transferred to a 37°C incubator/water-bath and allowed to clot and settle at 37°C for an for 1 hr (DO NOT centrifuge). The self-separated serums are transferred to 2 secondary tubes of at least 5 mL in each tube and transported to the laboratory at 37°C.</p>												

7	Cryofibrinogen Test Code : 8258501 - Laboratory Services											
	Methodology : MANUAL - Performed : Mon-Fri - Reported : 1 weeks											
	<table border="1"> <thead> <tr> <th>Specimen Type</th> <th>Container</th> <th>Volume</th> <th>Transport</th> </tr> </thead> <tbody> <tr> <td>Special sample type, Apply to Laboratory</td> <td>Lavender (EDTA)</td> <td>6mL</td> <td>37°C</td> </tr> </tbody> </table>	Specimen Type	Container	Volume	Transport	Special sample type, Apply to Laboratory	Lavender (EDTA)	6mL	37°C			
	Specimen Type	Container	Volume	Transport								
Special sample type, Apply to Laboratory	Lavender (EDTA)	6mL	37°C									
Additional Information 												
<p>The blood specimen must be collected in two lavender top tubes (37°C). The sample should be immediately transferred to a 37°C incubator/water-bath and allowed to settle at 37°C for an for 1 hr (DO NOT centrifuge). The self-separated plasmas are transferred to 2 secondary tubes of at least 3 mL in each tube and transported to the laboratory at 37°C. Hemolyzed and lipemic samples are not accepted.</p>												

8	Placental Growth Factor (PIGF) Test Code : 8742505 - Laboratory Services										
	Methodology : ECLIA - Performed : Tue 08:00 - Reported : 1 weeks										
	<table border="1"> <thead> <tr> <th>Specimen Type</th> <th>Container</th> <th>Volume</th> <th>Transport</th> </tr> </thead> <tbody> <tr> <td>Serum</td> <td>Separator Tube</td> <td>1mL</td> <td><0°C</td> </tr> </tbody> </table>	Specimen Type	Container	Volume	Transport	Serum	Separator Tube	1mL	<0°C		
Specimen Type	Container	Volume	Transport								
Serum	Separator Tube	1mL	<0°C								