

Laboratory Test Updates

(effective on June 23, 2025)

	Test Code	Test Name	Name Change	Methodology	Performed/Reported Schedule	Specimen Requirements	Reference Interval	New Tests	Additional Information	Internalized Tests	Reactivated Tests	Inactive
1	C8623528	Daratumumab Interference Test (Kappa+ Lambda)						X				
2	C8623529	IgG Lambda specific MALDI-TOF Analysis						X				
3	C8708144	Nasal Culture				X						
4	C8818077	Daratumumab Interference Test (MALDI-TOF)		X								

1	Daratumumab Interference Test (Kappa+ Lambda)		
	Test Code : 8623528 - Laboratory Services		
	Methodology : MALDI-TOF+IFE - Performed : Wed 08:00 - Reported : 6 days		
	Specimen Type	Collection Container/Tube	Specimen Volume
	Serum	Separator Tube	5mL
			Transport
			2-8°C

2	IgG Lambda specific MALDI-TOF Analysis		
	Test Code : 8623529 - Laboratory Services		
	Methodology : MALDI-TOF+IFE - Performed : Wed 08:00 - Reported : 6 days		
	Specimen Type	Collection Container/Tube	Specimen Volume
	Serum	Separator Tube	5mL
			Transport
			2-8°C

3	Nasal Culture		
	Test Code : 8708144 - Laboratory Services		
	Methodology : C/I/S - Performed : Mon-Sat 12:00 - Reported : 3 days 17:00		
	Specimen Type	Collection Container/Tube	Specimen Volume
	Nasal Discharge	Culture Transport Swab	
			Transport
			2-8°C

4	Daratumumab Interference Test (MALDI-TOF)		
	Test Code : 8818077 - Laboratory Services		
	Methodology : MALDI-TOF+IFE - Performed : Wed 08:00 - Reported : 6 days		
	Specimen Type	Collection Container/Tube	Specimen Volume
	Serum	Separator Tube	5mL
			Transport
			2-8°C