



Laboratory Test Updates

(effective on March 27, 2023)

	Test Code	Test Name	Name Change	Methodology	Performed/Reported Schedule	Specimen Requirements	Reference Interval	Update In Additional	New Tests	Internalized Tests	Reactivated Tests	Inactive
1	C8600410	Specific IgE- Paper wasp (i4)		X	X			X		X		
2	C8600150	Specific IgE- Mackerel (f206)		X	X			X		X		
3	C8301841	Food Intolerance Test, FoodPrint (222 parameters)	X									
4	C8019704	Food Intolerance Test, FOX (287 parameters)	X									
5	C8521001	Factor II			X							
6	C8523001	Factor VII			X							
7	C8526001	Factor X			X							
8	C8527001	Factor XI			X							
9	C8528001	Factor XII			X							
10	C9519911	Adenosine Deaminase (ADA), CSF			X							
11	C9519913	Adenosine Deaminase (ADA), Pericardial Fluid			X							
12	C9519915	Adenosine Deaminase (ADA), Peritoneal Fluid			X							
13	C9519912	Adenosine Deaminase (ADA), Pleural Fluid			X							
14	C9519914	Adenosine Deaminase (ADA), Serum			X							
15	C9519916	Adenosine deaminase (ADA), Synovial fluid			X							

1	Specific IgE- Paper wasp (i4)			
	Test Code : 8600410 - Laboratory Services			
	Methodology : RAST - Performed : Mon 08:00 - Reported : Tue 18:00			
	Specimen Type	Container	Volume	Transport
	Serum	Separator Tube	0,5mL	2-8°C
Additional Information 				
Serum Unacceptable conditions: Hemolysis and lipemia				

2	Specific IgE- Mackerel (f206)			
	Test Code : 8600150 - Laboratory Services			
	Methodology : RAST - Performed : Mon 08:00 - Reported : Tue 18:00			
	Specimen Type	Container	Volume	Transport
	Serum	Separator Tube	0,5mL	2-8°C
Additional Information 				
Serum Unacceptable conditions: Hemolysis and lipemia				

3	Food Intolerance Test, FoodPrint (222 parameters)			
	Test Code : 8301841 - Laboratory Services			
	Methodology : MICROARRAY - Performed : Wed 08:00 - Reported : 1 week			
	Specimen Type	Container	Volume	Transport
Serum	Separator Tube	0,5mL	2-8°C	

4	Food Intolerance Test, FOX (287 parameters)			
	Test Code : 8019704 - Laboratory Services			
	Methodology : EIA - Performed : Wed 08:00 - Reported : 1 week			
	Specimen Type	Container	Volume	Transport
Serum	Separator Tube	0,5mL	2-8°C	

5	Factor II			
	Test Code : 8521001 - Laboratory Services			
	Methodology : COAGULOMETRY - Performed : Mon 08:00 - Reported : Fri 18:00			
	Specimen Type	Container	Volume	Transport
Plasma (Citrate), Frozen	Blue (Sodium citrate)	0,5mL	<0°C	

6	Factor VII			
	Test Code : 8523001 - Laboratory Services			
	Methodology : COAGULOMETRY - Performed : Wed 08:00 - Reported : Fri 18:00			
	Specimen Type	Container	Volume	Transport
Plasma (Citrate), Frozen	Blue (Sodium citrate)	0,5mL	<0°C	

7	Factor X			
	Test Code : 8526001 - Laboratory Services			
	Methodology : COAGULOMETRY - Performed : Mon 08:00 - Reported : Fri 18:00			
	Specimen Type	Container	Volume	Transport
Plasma (Citrate), Frozen	Blue (Sodium citrate)	0,5mL	<0°C	

8	Factor XI			
	Test Code : 8527001 - Laboratory Services			
	Methodology : COAGULOMETRY - Performed : Mon 08:00 - Reported : Fri 18:00			
	Specimen Type	Container	Volume	Transport
Plasma (Citrate), Frozen	Blue (Sodium citrate)	0,5mL	<0°C	

9	Factor XII			
	Test Code : 8528001 - Laboratory Services			
	Methodology : COAGULOMETRY - Performed : Mon 08:00 - Reported : Fri 18:00			
	Specimen Type	Container	Volume	Transport
Plasma (Citrate), Frozen	Blue (Sodium citrate)	0,5mL	<0°C	

10	Adenosine Deaminase (ADA), CSF Test Code : 9519911 - Laboratory Services			
	Methodology : PHOTOMETRY - Performed : Tue 08:00 Fri 08:00 - Reported : Cum 18:00 Fri 18:00			
	Specimen Type	Container	Volume	Transport
	CSF	Biologic Fluid Tube	1mL	2-8°C

11	Adenosine Deaminase (ADA), Pericardial Fluid Test Code : 9519913 - Laboratory Services			
	Methodology : PHOTOMETRY - Performed : Tue 08:00 Fri 08:00 - Reported : Cum 18:00 Fri 18:00			
	Specimen Type	Container	Volume	Transport
	Pericardial Fluid	Biologic Fluid Tube	2mL	2-8°C

12	Adenosine Deaminase (ADA), Peritoneal Fluid Test Code : 9519915 - Laboratory Services			
	Methodology : PHOTOMETRY - Performed : Tue 08:00 Fri 08:00 - Reported : Cum 18:00 Fri 18:00			
	Specimen Type	Container	Volume	Transport
	Peritoneal Fluid	Biologic Fluid Tube	2mL	2-8°C

13	Adenosine Deaminase (ADA), Pleural Fluid Test Code : 9519912 - Laboratory Services			
	Methodology : PHOTOMETRY - Performed : Tue 08:00 Fri 08:00 - Reported : Cum 18:00 Fri 18:00			
	Specimen Type	Container	Volume	Transport
	Pleural Fluid	Biologic Fluid Tube	2mL	2-8°C

14	Adenosine Deaminase (ADA),Serum Test Code : 9519914 - Laboratory Services			
	Methodology : PHOTOMETRY - Performed : Tue 08:00 Fri 08:00 - Reported : Cum 18:00 Fri 18:00			
	Specimen Type	Container	Volume	Transport
	Serum	Separator Tube	1mL	2-8°C

15

Adenosine deaminase (ADA), Synovial fluid

Test Code : **9519916** - Laboratory Services

Methodology : **PHOTOMETRY** - Performed : **Tue 08:00 Fri 08:00** - Reported : **Cum 18:00 Fri 18:00**

Specimen Type	Container	Volume	Transport
Synovial fluid	Biologic Fluid Tube	2mL	2-8°C