

Laboratory Test Updates

(effective on July 06, 2026)

	Test Code	Test Name	Name Change	Methodology	Performed/Reported Schedule	Specimen Requirements	Reference Interval	New Tests	Additional Information	Internalized Tests	Reactivated Tests	Inactive
1	C8351612	Anti-Tyrosine Phosphatase (IA2) Antibody					X					
2	C8631601	CA 50		X								

1

Anti-Tyrosine Phosphatase (IA2) Antibody				
Test Code : 8351612 - Laboratory Services				
Methodology : RIA - Performed : Mon 08:00 - Reported : 2 weeks Wed 18:00				
Specimen Type		Collection Container/Tube	Specimen Volume	Transport
Serum		Separator Tube	1mL	2-8°C
Reference Ranges 				
Normal Values				
Gender	Lower Value			Unit
	<1			U/mL
Special Values				
Gender	Description	Lower Value	Upper Value	Unit
	Borderline	1.0	2.0	U/mL

2	CA 50			
	Test Code : 8631601 - Laboratory Services			
	Methodology : CLIA - Performed : Tue 08:00 - Reported : 2 weeks			
	Specimen Type	Collection Container/Tube	Specimen Volume	Transport
	Serum	Separator Tube	0,3mL	2-8°C