

Laboratory Test Updates

(effective on June 28, 2022)

	Test Code	Test Name	Name Change	Methodology	Performed/Reported Schedule	Specimen Requirements	Reference Interval	Update In Additional	New Tests	Internalized Tests	Reactivated Tests	Inactive
1	C8459702	Diamine Oxidase			X							
2	C8308803	Histamine, Stool			X							
3	C8600454	Zonulin, Serum			X							
4	C8600455	Zonulin, Stool			X							

1	Diamine Oxidase			
	Test Code : 8459702 - Laboratory Services			
	Method : EIA - Performed : Thu 08:00 - Reported : 2 weeks			
	Sample Name	Container	Amount	Transfer
Serum, Frozen	Separator Tube	1mL	<0°C	

2	Histamine, Stool			
	Test Code : 8308803 - Laboratory Services			
	Method : EIA - Performed : Thu 08:00 - Reported : 2 weeks			
	Sample Name	Container	Amount	Transfer
Stool, Frozen	Plastic Collection Cup	5gr	<0°C	

3	Zonulin, Serum			
	Test Code : 8600454 - Laboratory Services			
	Method : EIA - Performed : Thu 08:00 - Reported : 2 weeks			
	Sample Name	Container	Amount	Transfer
Serum, Frozen	Separator Tube	1mL	<0°C	

4	Zonulin, Stool			
	Test Code : 8600455 - Laboratory Services			
	Method : EIA - Performed : Thu 08:00 - Reported : 2 weeks			
	Sample Name	Container	Amount	Transfer
Stool, Frozen	Plastic Collection Cup	1gr	<0°C	